# BOLERO

BOLERO

## Game for anything.

.



The Mahindra Bolero is more than just a spacious light commercial vehicle, but has all the features of a great, go-anywhere workhorse. Its signature front grille makes it unmistakably a Mahindra, whilst its solid stance and high ground clearance, together with rugged engineering and powerful 2.5I NEF turbo-diesel makes it one of the toughest vehicles on or off the road.

Work or play this rugged Mahindra Bolero comes in a range of models, from the super-economical, no frills BMT with a payload of 1150kg\*, to single-cab and spacious double-cab options.

Available in 4×2 and 4x4, the Mahindra Bolero makes hard work look easy. It's tough, and will gladly rise to any challenge that you put before it, keeping you safe and comfortable even it's fully loaded. The Bolero is easy to maintain, fuel economical and offers durability and reliability second to none.

The Bolero delivers 74 kW\*\* of power and 238 Nm\*\* of Torque and great efficiency on any terrain. The fuel economy of the 2.5 litre NEF turbo diesel engine makes the Bolero the perfect workhorse which makes it the ideal companion on dirt roads and rugged terrain. The Bolero comes with a 6.75m turning radius for easy manoeuvrability, a hydraulic clutch for effortless gear shifting and the large load box can take loads up to 1.1 tons, making it a tough contender in harsh conditions.




- 01 The Bolero's 2.5I NEF turbo diesel delivers 74 kW of power and 238 Nm of torque, pulling cleanly from 1800 rpm in third gear, providing great efficiency and excellent fuel economy across any terrain.
- O2 The high walls, fold down panels and easy to clean surface of the load box make it highly functional whatever your load, while the strong chassis provides the ideal base for heavy lifting.

#### PERFORMANCE.



Payload applicable to BMT variant only. Power and torque ratings for NEF Turbodiesel

#### SAFETY IN STYLE.



### COMFORT AND CONVENIENCE.

The Bolero has been designed to make any drive an easy and enjoyable one. The soft-to-the-touch vinyl seat upholstery, comfortable armrests, ergonomically designed gear knob and easy-to-read instrument cluster are all created with your convenience in mind.

There are also door map pockets, rubber flooring and a space-saving centre console to add to the comfort of the cabin as well as powerful air-conditioning on some derivatives that is sure to cool you down after a hard day's work.

The Bolero makes hard work, so easy, keeping you comfortable even when working to the max with a heavy load. It's easy to maintain, fuel economical and offers utility, durability and reliability that is second to none. From cargo to crates, sand to scaffolding, the Bolero is built to carry any load. The high walls, fold down panels and easy to clean surface of the load box make it highly functional, while the strong chassis provides the ideal base for heavy lifting.







- O3 The high walls, fold down panels and easy to clean surface of the load box make it highly functional whatever your load, while the strong chassis provides the ideal base for heavy lifting.
- 04 The BMT Plus interior is utilitarian but comfortable and spacious the soft-to-the-touch vinyl seat upholstery, comfortable armrests, ergonomically designed gear knob and easy-to-read instrument cluster are all created with your convenience in mind.
- 06/07 On the exterior, clear lens headlamps and side steps are just some of the extra convenient touches provided.

The BMT's 1150 kg load capacity\* and large load box capacity make hard work a breeze.

The heater and demister provide welcome comfort and visibility in cold conditions.

Its super fuel-efficiency and low operating costs make the BMT an obvious choice for any business.

BOLERO



\* Payload applicable to BMT variant only.

#### SPECIFICATIONS

| Technical data                   | BMT                        | Dropside 4X2   | Loader 4X2                 | Single Cab 4X2             | Single Cab 4X4       | Double Cab 4X2 and 4X4*    |  |  |  |
|----------------------------------|----------------------------|--|----------------------------|----------------------------|----------------------|----------------------------|--|--|--|
| Engine type                      | m2DICR TA/TB Turbo Diesel  | NEFTCI Turbo Diesel  |                            |                            |                      |                            |  |  |  |
| Displacement                     | 4 cylinder / 2523cc        |  |                            | 4 cylinder / 2498 cc       |                      |                            |  |  |  |
| Power rating                     | 46kW @ 3200 rpm            |  |                            | 74 kW @ 3800 r/min         |                      |                            |  |  |  |
| Torque rating                    | 195 Nm @ 1400 – 2200 rpm   | 238 Nm @ 1800 r/min  |                            |                            |                      |                            |  |  |  |
| Gearbox type                     | 5 speed manual             | 5 speed manual   |                            |                            |                      |                            |  |  |  |
| Transfer case (4×4 only)         | -                          | Manual shift (4X4 only)  |                            |                            |                      |                            |  |  |  |
| Brake type                       |                            | Hydraulic with Vacuum Assisted Servo. Front: Disc and caliper. Rear: Drum. Parking: Rear wheels cable operated |                            |                            |                      |                            |  |  |  |
| Wheels and tyres                 |                            | P235/75 R15 6J x 15" steel rims  |                            |                            |                      |                            |  |  |  |
| Suspension (front)               |                            | Independent torsion bar with stabiliser bar and hydraulic shock absorber                                       |                            |                            |                      |                            |  |  |  |
| Suspension (rear)                |                            | Progressive leaf spring with hydraulic shock absorber  |                            |                            |                      |                            |  |  |  |
| Fuel tank capacity               | 45 litres                  | 56 litres  |                            |                            |                      |                            |  |  |  |
| Turning circle radius            | 11,5 m                     | 6.75 m   |                            |                            |                      |                            |  |  |  |
| GCM                              | 3370 kg                    | 3 550 kg   |                            |                            |                      |                            |  |  |  |
| GVW                              | 2620 kg                    | 2 800 kg   |                            |                            |                      |                            |  |  |  |
| Tare                             | 1470 kg                    | 1 775 kg 2WD / 1 875 kg 4WD  |                            |                            |                      |                            |  |  |  |
| Payload                          | 1150 kg                    | 1 100 kg   |                            |                            |                      |                            |  |  |  |
| Towing capacity                  |                            | 750 kg   |                            |                            |                      |                            |  |  |  |
| Overall length                   | 4925 mm                    | 4 924 mm   | 4 924 mm                   | 4 924 mm                   | 4 924 mm             | 4924 mm                    |  |  |  |
| Overall width                    | 1700 mm                    | 1 815 mm   |                            |                            |                      |                            |  |  |  |
| Overall height                   | 1825 mm                    | 1 885 mm   |                            |                            |                      |                            |  |  |  |
| Wheel base                       | 3150 mm                    | 3 014 mm   |                            |                            |                      |                            |  |  |  |
| Ground clearance                 | 170 mm                     |  |                            | 200 mm                     |                      |                            |  |  |  |
| Load box capacity (LxWxH)        | 2500 mm x 1540 mm x 295 mm | 2290 mm x 1700 mm x 554 mm   | 2260 mm x 1530 mm x 730 mm | 2260 mm x 1530 mm x 730 mm | 2260 x 1530 x 730 mm | 1460 mm x 1530 mm x 730 mm |  |  |  |
| CO2 emissions: Combined cycle    | N/A                        |  |                            | 251 g/km                   |                      |                            |  |  |  |
| Fuel consumption: Combined cycle | 7.0L/100km                 | 9.5 L/100 km   |                            |                            |                      |                            |  |  |  |

| Features                    | BMT         | Dropside 4X2 | Loader 4X2  | Single Cab 4X2 | Single Cab 4X4 | Double Cab 4X2 and 4X4 |
|-----------------------------|-------------|--------------|-------------|----------------|----------------|------------------------|
| Air conditioning and heater | Heater only | Heater Only  | Heater Only | •              | •              | •                      |
| Power steering              | •           | •            | •           | •              | •              | •                      |
| Seats                       | Cloth       | Vinyl        | Vinyl       | Fabric cloth   | Fabric cloth   | Fabric cloth           |
| Flooring                    | Rubber      | Rubber       | Rubber      | Mat            | Mat            | Mat                    |
| Colour coded bumpers        | •           | •            | •           | •              | •              | •                      |
| Spare tyre                  | •           | •            | •           | •              | •              | •                      |
| Front headrests             | •           | •            | •           | •              | •              | •                      |

| Warranty and service information | BMT                        | Dropside 4X2 | Loader 4X2 | Single Cab 4X2 | Single Cab 4X4 | Double Cab 4X2 and 4X4 |
|----------------------------------|----------------------------|--------------|------------|----------------|----------------|------------------------|
| Warranty                         | 3-Year / 100,000km         |              |            |                |                |                        |
| Service plan**                   | Optional 3 Year / 60,000km |              |            |                |                |                        |
| Service intervals                | 10 000 km                  |              |            |                |                |                        |

\* Double Cab 4X2 and 4X4 only available on special order from Mahindra & Mahindra South Africa.

Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications.

\*\* Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.



#### Customer Care: (012) 661 3159 / (012) 661 3161 Email: customercare@mahindra.co.za www.mahindra.co.za

First Floor Block A Southdowns Ridge Office Park John Vorster Drive (corner Nelmapius) Southdowns Centurion P O Box 69079 Highveld Park 0169 South Africa

#### **F** 🔰 🖸 🔘

PLEASE NOTE: Some of the equipment shown in this brochure may not be available on all models or in all markets. Some finishes and specifications are also not available in all markets. All specifications are subject to change without notice. Please contact your local dealer for the latest information.

DATE OF PUBLICATION: FEBRUARY 2017 PART NO: BROCHURE 028



MAHINDRA RECOMMENDS YOU USE ONLY





Mahindra. Always up for a challenge.

**The new mzanzi app is now available** for care, maintenance and a lot more









